Job Name:	
Tag#	



Submittal Data Sheet

FDMQ12RVJU

1.0-Ton Ducted Concealed Indoor Unit





Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Indoor Specifications					
	Cooling		Heating		
	Н	M	Н	M	
Airflow Rate (cfm)	392	332	392	332	
	L		Ĺ		
	275		275		
Sound (dBA)	33		33		
Dimensions (H × W × D) (in)		9-5/8 × 27-9/16 × 31-1/2			
Weight (Lbs)		64			
Nominal Capacity (Btu/hr)		12,000			
*See Outdoor Unit for Rated Capacities					

Piping			
Liquid (in)	1/4		
Gas (in)	3/8		
Drain (in)	1		

Optional Accessories



Indoor Unit – One Controller required			
Included	Part Number	Description	
	BRC1E73	Wired Remote Controller	
	BRC082A43	Wireless Remote Controller	
	KRCS01-4B	Remote Sensor	
	DACA-CP2-1	Maxi Orange Condensate Pump (up to 49 ft head)	
	DACA-CP3-1	Mini Condensate Pump (up to 33 ft head)	
	KRP1C74	Wiring Adaptor	
	KRP4A98	Mounting Plate	
	DFBS27A13	MERV 13 Filter Kit	
	AZAI6WSCDKA	DKN Cloud Wi-Fi Adaptor	
	KRP4A71	Group Control Adaptor PCB	

Standard Equipment



Part Number	Description
2261089	Drain Pump
2261096	Float Switch Assy.

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056


(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Revision Date: January 2020

FDMQ12RVJU Dimensional Data




Page 2 of 3



External Static Pressure / Airflow Chart





Submittal Revision Date: January 2020